



WOLTURA INDUCTION

INDUCTION FRYING PAN

Photos



MODEL NO	DIMENSION in mm	POWER	VOLTAGE	CAPACITY
WTT/WIFP		5 kw	220V	6.5 ltrs
WIFP 400		5 kw	220V	6.5 ltrs
WIFP 500	780X850X800+400	8 kw	415V	10
WFIP 600	900X950X800+400	12 kw	415V	15
WFIP 700	900X950X800+400	15 kw	415V	32
WFIP 800	1000X1135X800+400	20 kw	415V	45
WIFP 900	1155X1250X800+400	25 kw	415V	60
WIFP 1000	1250X1350X800+400	30 kw	415V	90

INDUCTION FLAT RANGE

Photos



MODEL NO	DIMENSION in mm	POWER	VOLTAGE	CAPACITY
WIFR-8	650 X 750 X 600+600	8 kw	440V	80 ltrs
WIFR-12	650 X 750 X 600+600	12 kw	440V	100 ltrs
WIFR-15	650 X 750 X 600+600	15 kw	440V	120 ltrs



www.woltura.com



info@woltura.com

CONTACT US

+91 9042424949



WOLTURA INDUCTION

INDUCTION HOTPLATE

Photos



MODEL NO	PLATE DIMENSION in mm	POWER	VOLTAGE	DIMENSION
WIHP-960	900 × 600 × 20	12KW	440V	925 × 615
WIHP-1260	1200 × 600 × 20	15KW	440V	1225 × 615
WIHP-1275	1200 × 750 × 20	18KW	440V	1225 × 765
WIHP-1560	1500 × 600 × 20	20KW	440V	1525 × 615
WIHP-1575	1500 × 750 × 20	25KW	440V	1525 × 765
WIHP-1875	1800 × 750 × 20	30KW	440V	1875 × 765

INDUCTION TILTING BRATT PAN

Photos



MODEL NO	PLATE DIMENSION in mm	POWER	VOLTAGE	CAPACITY
WITBP-100	1395 × 915 × 900	12KW	440V	80 ltrs
WITBP-150	1550 × 915 × 900	15KW	440V	100 ltrs
WITBP-200	1770 × 915 × 900	20KW	440V	120 ltrs
WITBP-300	1850 × 915 × 900	30KW	440V	300 ltrs



www.woltura.com



info@woltura.com

CONTACT US

+91 9042424949



WOLTURA INDUCTION

INDUCTION TILTING BOILING PAN (SINGLE JACKET) DIRECT HEATING

Photos



MODEL NO	PLATE DIMENSION in mm	POWER	VOLTAGE	CAPACITY
WBPD-100	1395 × 915 × 900	12KW	440V	100 ltrs
WBPD-150	1550 × 915 × 900	15KW	440V	150 ltrs
WBPD-200	1770 × 915 × 900	20KW	440V	200 ltrs
WBPD-300	1850 × 915 × 900	30KW	440V	300 ltrs

INDUCTION TILTING BOILING PAN (DOUBLE JACKET) INDIRECT HEATING

Photos



MODEL NO	PLATE DIMENSION in mm	POWER	VOLTAGE	CAPACITY
WBPID-100	1395 × 915 × 900	12KW	440V	100 ltrs
WBPID-150	1550 × 915 × 900	15KW	440V	150 ltrs
WBPID-200	1770 × 915 × 900	20KW	440V	200 ltrs
WBPID-300	1850 × 915 × 900	30KW	440V	300 ltrs



www.woltura.com



info@woltura.com

CONTACT US

+91 9042424949



WOLTURA INDUCTION

INDUCTION CHINESE RANGE

Photos



MODEL NO	DESCRIPTION	POWER	VOLTAGE	CAPACITY
WICR-8KW	Single Wok	8KW	415V	8kw concave
WICRS-8KW	Single Wok with Soup Pot	8KW	415V	8kw chinese with Soup pot
WICRS-8KW × 2	Double Wok with Soup Pot	8KW + 8KW	415V	8kw chinese × 2 nos with Soup pot

INDUCTION STEAMER

Photos



MODEL NO	DESCRIPTION	POWER	VOLTAGE	CAPACITY
WIS-8	8 Tray Rice Steamer	12KW	440V	120 Capacity - 1/1 GN Pan
WIS-12	12 Tray Rice Steamer	15KW	440V	180 Capacity - 1/1 GN Pan
WIIS-8 (600 × 400)	8 Tray Idly Steamer	12KW	440V	24 Idly / Tray - 595 × 395
WIIS-12 (600 × 400)	12 Tray Idly Steamer	15KW	440V	24 Idly / Tray - 595 × 395



www.woltura.com



info@woltura.com

CONTACT US

+91 9042424949



WOLTURA INDUCTION

INDUCTION DEEP FRYER

Photos



MODEL NO	DIMENSION (L×W×H)	KW	REQUIRED POWER	CAPACITY
W25L	25 L Capacity:	12 KW	415V	25 L

INDUCTION TWO ZONE RANGE

Photos



MODEL NO	DESCRIPTION	KW	REQUIRED POWER	FREQUENCY
WCC-2XF	Two Flat Range	3.5 KW + 3.5 KW	220V	50
WCC-2XW	Two Wok Range	3.5 KW + 3.5 KW	220V	50
WCC-2FW	1 Flat and 1 Wok Range	3.5 KW + 3.5 KW	220V	50

INDUCTION THREE ZONE RANGE

Photos



MODEL NO	DIMENSION (L×W×H)	KW	REQUIRED POWER	CAPACITY
WCC-3CC	Three Zone Range	5 KW + 5 KW	415V	25 L



www.woltura.com



info@woltura.com

CONTACT US

+91 9042424949



WOLTURA INDUCTION

INDUCTION FOUR ZONE RANGE

Photos



MODEL NO	DESCRIPTION	KW	REQUIRED POWER	FREQUENCY
WCC-4XF	4 Zone Continental Range	4 × 3.5 KW	4 Zone continental range / 4 × 3.5 KW	50

INDUCTION TABLE TOP FLAT RANGE

Photos



MODEL NO	DESCRIPTION	KW	REQUIRED POWER	CAPACITY
WTIFR-3.5	Flat Cooking Range	3.5 KW	220V	3.5KW ,5KW

INDUCTION TABLE TOP WOK RANGE

Photos



MODEL NO	DESCRIPTION	KW	REQUIRED POWER	CAPACITY
WTIW-3.5	Compact Wok Range	3.5 KW	220V	5KW



www.woltura.com



info@woltura.com

CONTACT US

+91 9042424949



WOLTURA INDUCTION

INDUCTION TABLE TOP HOT PLATE

Photos



MODEL NO	DESCRIPTION	KW	REQUIRED POWER	CAPACITY
WTIS-3.5	Flat Hot Plate	5 KW	220V	Plate Size - 1.5" x 2

INDUCTION TABLE TOP STEAMER

Photos



MODEL NO	DESCRIPTION	KW	REQUIRED POWER	CAPACITY
WTIS-3.5	Commercial Table Steamer	3.5 KW	220V	54 Idly

INDUCTION TABLE TOP FRYER

Photos



MODEL NO	DESCRIPTION	KW	REQUIRED POWER	CAPACITY
WTIDF-5	Compact Frying Unit	3.5 KW	220V	9L Capacity, 5KW, 1/3 x 150mm Basket - 2 Nos



www.woltura.com



info@woltura.com

CONTACT US

+91 9042424949